

invisicon° sentry S-4000



invisirana sentry S-4000

More Muscle for Larger Operations

Invisiron® Sentry S-4000 is optimised for medium-sized networks. Options for High Availability and Carrier Diversity are available.

Key Features

Automatic Threat Mitigation

Invisiron® offers a pro-active Cyber Defence platform with auto threat mitigation in real-time 24/7. No user intervention is needed.

Advanced Threat Protection

Our device protects your organisation against advanced persistent threats and many other attacks and malware.

Cyber Threat Intelligence (Invisiron-CTI™)

Invisiron-CTI[™] comes from over 30 globally validated sources, which are updated and pushed down to every Invisiron® device every hour, automatically.

Threat Commander Remote Monitoring Utility

Every malicious packet that is mitigated by Invisiron® can be reviewed in our Remote Monitoring System and allows our Managed Detection and Response (MDR) teams to perform forensics on compromised assets.

Bi-Directional Deep Packet Inspection (DPI)

Based on our 7 Threat Intelligence, entire packet contents are inspected and filtered bi-directionally via our state-of-the-art architecture.

Invisible Stealth Mode

Invisiron® devices do not require a MAC or IP address to operate. Hackers will not be able to detect the presence of an Invisiron device in a network.

Ultra-Fast In-Line Packet Processing Speed

Packets are processed at near line speed without degradation of your Internet bandwidth.

No Changes to Existing Network Infrastructure

A plug-and-play complete Cyber Defence solution, without having the need to make any changes to existing IT infrastructure networks.

Geo IP Blocking

Invisiron® devices are able to block network connections based on geographical locations and countries.

High Availability

Invisiron® devices support High Availability.

Mobile App

The Invisiron [®] Mobile App offers a convenient way to check device health status and cyber posture, real-time, on the go.



Technical Specifications

Processor	Intel Xeon
Memory	16 GB of DDR4 memory
Storage	Dynamic Smart Array configured in disk mirroring mode
Disk Drives	Hot swappable 2x 480GB low form factor SSD
Packet Processing	High performance Intel NIC with 4x 1GB Ethernet ports (RJ45)
Management	1GB Ethernet (RJ45) for Management
Power and Cooling	Standard 290 W switching power supply, 100 – 240 Volt AC High efficient cooling for warm environments
Form Factor	Rack (1 U) 380 mm deep
Embedded OS	Linux
Cyber Threat Intelligence	Cloud-based Invisiron-CTI™
DPI Rules	Up to 10,000 rules
Reputation Detection	Up to 2,000,000 domain names and URLs
IP Address Filtering	Up to 250,000 IP addresses, both IPV4 and IPv6
DGA Detection	Supported on DNS queries and replies
Configuration	Graphical User Interface over encrypted link
Alerts and Notifications	By graphical user interface, emails and mobile phone application
Evidence Collection	PCAP data format
System Upgrades	Software updates provided from the cloud

Distribution in Germany, Austria, Swizerland

SEDI GmbH Im Wiesental 17 75031 Eppingen

info@sedi-deutschland.de

TEL: +497262 259 9997 FAX: +497262 259 9998

Invisiron Pte Ltd

Headquarter: 1 Pemimpin Drive, #08-03 Singapore 576151

Office: 150 Sims Drive, #06-00 Singapore 387381

+65 6692 6760 sales@invisiron.com

Cyber (*)
Defence
Fortified

©2021 Invisiron Pte Ltd. All rights reserved.